



Roberto Series

June



TILES BY TINA

www.tilesbytina.com

732.539.4655

tserpico@tilesbytina.com

Roberto Series

June

Lines, touch and color merge into June bringing calmness in its purest form. Its stone appearance fuses a careful printing and relief technique with neutral shades of gray or graphite and subtle flashes of light similar to those generated by the sun in natural stone. Once laid out, it faithfully maintains the appearance of a limestone that brings to mind white and pearly sea sands with a soft, diverse texture and rich in nuances.



June Suite Caliza 12"x36" R

Glazed Porcelain

◇ 24"x48" R



TILES BY TINA
www.tilesbytina.com



June Gris 24"x48" R



TILES BY TINA
www.tilesbytina.com



June Grafito 24"x48" R



June Caliza 24"x48" R

June

Glazed Porcelain



24"x48" R 60x120 cm

12"x36" R 30x90 cm



Caliza




24"x48" R



Suite Caliza



12"x36" R



Gris



24"x48" R



Suite Gris



12"x36" R



Grafito



24"x48" R



Suite Grafito



12"x36" R



TILES BY TINA
www.tilesbytina.com

June

Glazed Porcelain

Technical Specifications

| CHARACTERISTICS | STANDARD | DECLARED ASTM |
|--|-------------|---------------|
| Water Absorption | C373 | <=0.5% |
| Break Strength | C648 | Min. 450 |
| Scratch Hardness | MOH's Scale | 5 |
| Chemical Resistance | C650 | Unaffected |
| Frost Resistance | C1026 | Resistant |
| Group | SEE FAQs | 4 |
| PEI - Glazed Tiles | C1027 | 3 |
| Minimum Bond Strength (PSI) | C482 | 165 |
| Dynamic Coefficient of Friction (DCOF) | A137.1 | >=0.42 |
| Shade and Texture Rating | CTDA "V" | V3 |
| Facial Dimensions | C499 | Pass |
| Range of Thickness | C499 | Pass |
| Warpage | C485 | Pass |
| Wedging | C502 | Pass |

Packaging Info

| Size | SF per carton | PC per carton | BX per pallet |
|-----------|---------------|---------------|---------------|
| 12"x36" R | 14.32 | 5 | 24 |
| 24"x48" R | 15.50 | 2 | 30 |



TILES BY TINA
www.tilesbytina.com