

VICTORIA SERIES OXFORD Series

GLAZED WALL



TILES BY TINA

www.tilesbytina.com • 732.539.4655 • tserpico@tilesbytina.com

OXFORD Series - Glazed Wall

Super White



7.5 x 30 cm (3 x 12)
Glossy



7.5 x 15 cm (3 x 6)
Glossy




5x30 cm (2x12)
Glossy Chair Rail



17.7 cm (7) Hexagon
Glossy

White



7.5 x 30 cm (3 x 12)
Craquel Glossy



TILES BY TINA
www.tilesbytina.com

OXFORD Series - Glazed Wall

Bone



7.5 x 30 cm (3 x 12)
Glossy



7.5 x 15 cm (3 x 6)
Glossy



7.5x30 cm (3x12)
Craquel Glossy



17.7 cm (7) Hexagon
Glossy



TILES BY TINA
www.tilesbytina.com

OXFORD Series - Glazed Wall

Light Grey




7.5 x 30 cm (3 x 12)
Glossy



7.5 x 15 cm (3 x 6)
Glossy



7.5x30 cm (3x12)
Craquel Glossy



17.7 cm (7) Hexagon
Glossy



TILES BY TINA
www.tilesbytina.com

OXFORD Series - Glazed Wall

Taupe



7.5 x 30 cm (3 x 12)
Glossy



7.5 x 15 cm (3 x 6)
Glossy



7.5x30 cm (3x12)
Craquel Glossy

OXFORD Series - Glazed Wall

Sky Blue



7.5 x 30 cm (3 x 12)

Glossy

METALLIC FINISH

Bronze



7.5 x 30cm (3 x 12)

Metallic

Silver




7.5 x 30cm (3 x 12)

Metallic



TILES BY TINA
www.tilesbytina.com

Colour Variation



Examples of Recommended Applications

Residential Commercial



Commercial



Indoor



Wall



Packing Details

TILE SIZE	PC/BOX	SF/BOX	LB/BOX	BOX/PAL
3" x 12"	22	5.38	16.06	120
3" x 6"	44	5.38	15.4	120
7" Hexagon	37	10.76	32.71	48

PRODUCT	WALL APPLICATION		FLOOR APPLICATION	
	Interior	Exterior	Interior	Exterior
TILE BOND COAT	•66 Flexlite •200 Type 1 Adhesive	-	-	-
GROUT	•500 PM Unsanded •ColourMax Plus Quartz	-	-	-
CAULKING	Ultra Performance Caulk (colour-matched to grout)	-	-	-

SURFACE PREPARATION (If Required)

- **Floor levelling:** 59 Flex Flo / 5900 Flex Flo Plus Self Levelling Underlayment
- **Waterproofing:** WP900 Waterproof Membrane
- **Crack Isolation/Uncoupling:** Flexilastic 1000 Crack Isolation Membrane / FlexMat Uncoupling Membrane

*For a complete listing of FLEXTILE products and accessories including Sound Control, In-Floor Heating, and further setting options, please visit www.flextile.net



“MORE” Surface Care Product Guide

Task	Product Recommendation	Dilution with Water	Frequency
Grout Sealing	MORE™ Grout, Ceramic & Porcelain Sealer	Ready to use	Commercial: 1-3 Years Residential: 5-8 Years
Daily Maintenance	MORE™ Stone and Tile Cleaner	1 : 128 Ratio	Daily
Deep Cleaning	MORE™ Alkaline Cleaner	1 : 4 Ratio	As Needed
Grout Haze- Cementitious	MORE™ Acidic Cleaner	1 : 4 Ratio	As Needed
Grout Haze - Epoxy / Urethane	MORE™ Coating Stripper*	Ready to use	As Needed

*Always test in an inconspicuous area to make sure the product is achieving the desired results and is not damaging the finish of the surface.





TAUPE



TAUPE CRAQUEL



SILVER



SUPER WHITE



TILES BY TINA
www.tilesbytina.com