

# Victoria Series SKORPION Series

GLAZED PORCELAIN



TILES BY TINA

[www.tilesbytina.com](http://www.tilesbytina.com) • 732.539.4655 • [tserpico@tilesbytina.com](mailto:tserpico@tilesbytina.com)

**SKORPION SERIES - Glazed Porcelain (Rectified)**



**IVORY**  
60 x 120 cm (24" x 48")  
Matte Finish

60 x 120 cm (24" x 48")  
Polished Finish



**SILVER**  
60 x 120 cm (24" x 48")  
Matte Finish

60 x 120 cm (24" x 48")  
Polished Finish



**SKORPION SERIES - Glazed Porcelain (Rectified)**



**SAND**  
60 x 120 cm (24" x 48")  
Matte Finish

60 x 120 cm (24" x 48")  
Polished Finish



**GREY**  
60 x 120 cm (24" x 48")  
Matte Finish

60 x 120 cm (24" x 48")  
Polished Finish



## SKORPION SERIES - Glazed Porcelain (Rectified)



### **BLACK**

60 x 120 cm (24" x 48")

Matte Finish

60 x 120 cm (24" x 48")

Polished Finish



TILES BY TINA  
[www.tilesbytina.com](http://www.tilesbytina.com)

**SKORPION SERIES - Glazed Porcelain (Rectified)**



**IVORY BOOKMATCH**  
60 x 120 cm (24" x 48")  
Polished Finish

Sold by a set of 2 boxes  
(1 set = 4 pcs; 2 per box)

**SKORPION SERIES - Glazed Porcelain (Rectified)**



**SILVER BOOKMATCH**  
60 x 120 cm (24" x 48")  
Polished Finish

Sold by a set of 2 boxes  
(1 set = 4 pcs; 2 per box)


**SKORPION SERIES - Glazed Porcelain (Rectified)**



**SAND BOOKMATCH**  
60 x 120 cm (24" x 48")  
Polished Finish

Sold by a set of 2 boxes  
(1 set = 4 pcs; 2 per box)

**SKORPION SERIES - Glazed Porcelain (Rectified)**



**GREY BOOKMATCH**  
60 x 120 cm (24" x 48")  
Polished Finish


Sold by a set of 2 boxes  
(1 set = 4 pcs; 2 per box)



**TILES BY TINA**  
[www.tilesbytina.com](http://www.tilesbytina.com)



**SKORPION SERIES - Glazed Porcelain (Rectified)**



**BLACK BOOKMATCH**  
60 x 120 cm (24" x 48")  
Polished Finish

Sold by a set of 2 boxes  
(1 set = 4 pcs; 2 per box)


## SKORPION SERIES

## Tests Performed -- Results Conform

Test	Standard Used	Min. Requirements	Results
Water Absorption	ISO 10545-3	< 0.5%	Conforms
Dynamic C.O.F. (Matte)	ANSI A137.1-2012	≥ 0.42	Conforms
Bending / Breaking Strength	ISO 10545-4	>1300N	Conforms
Modulus of Rupture	ISO 10545-4	≥ 35N/mm <sup>2</sup>	Conforms
Deep Abrasion Resistance	ISO 10545-6	≤ 175 mm <sup>3</sup>	Conforms
Chemical Resistance	ISO 10545-13	min. UB	Conforms
Frost Resistance	ISO 10545-12	Required	Conforms
Stain Resistance	ISO 10545-14	> Class 3	Conforms

Technical data is supplied by the manufacturer and is subject to change at any time.

## Colour Variation



## Examples of Recommended Applications

Residential



Commercial



Indoor



Outdoor



Wall



Floor



## Packing Details

TILE SIZE	PC/BOX	SF/BOX	LB/BOX	BOX/PAL
24" x 48" Matte	2	15.50	70.54	32
24" x 48" Polished	2	15.50	72.74	32
24" x 48" Bookmatch Polished	2	15.50	72.74	32



TILES BY TINA  
www.tilesbytina.com

PRODUCT	WALL APPLICATION		FLOOR APPLICATION	
	Interior	Exterior	Interior	Exterior
<b>TILE BOND COAT</b>	• 66 FlexLite • 56SR LHT Mortar	• 5400 Maxi-Flex • 51/44 Latex Mortar System	• 56SR LHT Mortar • 5400 Maxi-Flex	• 5400 Maxi-Flex • 51/44 Latex Mortar System
<b>GROUT</b>	• 500 Unsanded / 600 PM Sanded	• 600 PM Sanded • 1600UPG PM Grout	• 600 PM Sanded • 1600UPG PM Grout • FlexEpoxy 100 Epoxy Grout	• 600 PM Sanded • 1600UPG PM Grout
<b>CAULKING</b>	Ultra Performance (colour-matched to grout)	Ultra Performance (colour-matched to grout)	Ultra Performance (colour-matched to grout)	Ultra Performance (colour-matched to grout)

**SURFACE PREPARATION (If Required)**

- Floor levelling: 59 Flex Flo / 5900 Flex Flo Plus Self Levelling Underlayment
- Waterproofing: WP900 Waterproof Membrane
- Crack Isolation/Uncoupling: Flexilastic 1000 Crack Isolation Membrane / FlexMat Uncoupling Membrane

\* For a complete listing of FLEX TILE products and accessories including Sound Control, In-Floor Heating, and further setting options, please visit [www.flextile.net](http://www.flextile.net)



**“MORE” Surface Care Product Guide**

Task	Product Recommendation	Dilution with Water	Frequency
Grout Sealing	MORE™ Grout, Ceramic & Porcelain Sealer	Ready to use	Commercial: 1-3 Years Residential: 5-8 Years
Daily Maintenance	MORE™ Stone and Tile Cleaner	1 : 128 Ratio	Daily
Deep Cleaning	MORE™ Alkaline Cleaner	1 : 4 Ratio	As Needed
Grout Haze- Cementitious	MORE™ Acidic Cleaner	1 : 4 Ratio	As Needed
Grout Haze - Epoxy / Urethane	MORE™ Coating Stripper*	Ready to use	As Needed

\* Always test in an inconspicuous area to make sure the product is achieving the desired results and is not damaging the finish of the surface.





Wall - SAND BOOKMATCH 24" x 48" ; Floor - SAND 24" x 48"



Wall - SILVER BOOKMATCH 24" x 48"  
Floor - SILVER 24" x 48"





Wall - GREY BOOKMATCH 24" x 48"; Floor - Grey 24" x 48"



Wall - IVORY BOOKMATCH 24" x 48"  
Floor - IVORY 24" x 48"

