



TILES BY TINA

www.tilesbytina.com

732.539.4655

tserpico@tilesbytina.com

Victoria Wall Tile Series

SUBWAY
& PLAIN



TILES BY TINA
www.tilesbytina.com

SUBWAY WHITE



Arctic White Bright
3" x 6"



Arctic White Bright
4" x 12"



Arctic White Bright
4" x 16"



Arctic White Matte
3" x 6"



Arctic White Matte
4" x 12"



Arctic White Matte
4" x 16"

Items shown above are part of our stocking program.



TILES BY TINA
www.tilesbytina.com

PLAIN BLACK



Plain Black Bright
3" x 6"



Plain Black Bright
4" x 12"



Plain Black Bright
4" x 16"

Items shown above are part of our stocking program.



TILES BY TINA
www.tilesbytina.com

PLAIN BONE



Plain Bone Bright
3" x 6"



Plain Bone Bright
4" x 12"



Plain Bone Bright
4" x 16"

Items shown above are part of our stocking program.



TILES BY TINA
www.tilesbytina.com

PLAIN DARK GREY



**Plain Dark Grey
Bright**
3" x 6"



**Plain Dark Grey
Bright**
4" x 12"



**Plain Dark Grey
Bright**
4" x 16"

Items shown above are part of our stocking program.



TILES BY TINA
www.tilesbytina.com

PLAIN GREY



Plain Grey Bright
3" x 6"




Plain Grey Bright
4" x 12"



Plain Grey Bright
4" x 16"

Items shown above are part of our stocking program.

Colour Variation



Examples of Recommended Applications

Residential



Commercial



Indoor



Wall



Packing Details

TILE SIZE	PC/BOX	SF/BOX	LB/BOX	BOX/PAL
3" x 6" Bright & Matte	TR-80/GE-88	TR-9.69/GE-9.47	-	-
4" x 12" Bright & Matte	TR-30/GE-15	TR-9.69/GE-4.84	-	-
4" x 16" Bright & Matte	TR-25/GE-20	TR-10.76/GE-8.62	-	-



PRODUCT	WALL APPLICATION		FLOOR APPLICATION	
	Interior	Exterior	Interior	Exterior
TILE BOND COAT	<ul style="list-style-type: none"> • 56SR LHT Mortar • 66 FlexLite 	<ul style="list-style-type: none"> • 5400 Maxi-Flex • 51/44 Latex Mortar System 	<ul style="list-style-type: none"> • 56SR LHT Mortar • 5400 Maxi-Flex 	<ul style="list-style-type: none"> • 5400 Maxi-Flex • 51/44 Latex Mortar System
GROUT	<ul style="list-style-type: none"> • 500 PM Unsanded • 600 PM Sanded • ColourMax Plus Quartz 	<ul style="list-style-type: none"> • 600 PM Sanded • 1600 RSG PM Sanded 	<ul style="list-style-type: none"> • 600 PM Sanded • FlexEpoxy 100 Epoxy 	<ul style="list-style-type: none"> • 600 PM Sanded • 1600 RSG Fast Set
CAULKING	Ultra Performance (colour-matched to grout)	Ultra Performance (colour-matched to grout)	Ultra Performance (colour-matched to grout)	Ultra Performance (colour-matched to grout)

SURFACE PREPARATION (If Required)

- Floor levelling: 59 Flex Flo / 5900 Flex Flo Plus Self Levelling Underlayment
- Waterproofing: WP900 Waterproof Membrane
- Crack Isolation/Uncoupling: Flexilastic 1000 Crack Isolation Membrane / FlexMat Uncoupling Membrane

*For a complete listing of FLEX TILE products and accessories including Sound Control, In-Floor Heating, and further setting options, please visit www.flextile.net



“MORE” Surface Care Product Guide

Task	Product Recommendation	Dilution with Water	Frequency
Grout Sealing	MORE™ Grout, Ceramic & Porcelain Sealer	Ready to use	Commercial: 1-3 Years Residential: 5-8 Years
Daily Maintenance	MORE™ Stone and Tile Cleaner	1 : 128 Ratio	Daily
Deep Cleaning	MORE™ Alkaline Cleaner	1 : 4 Ratio	As Needed
Grout Haze- Cementitious	MORE™ Acidic Cleaner	1 : 4 Ratio	As Needed
Grout Haze - Epoxy / Urethane	MORE™ Coating Stripper*	Ready to use	As Needed

* Always test in an inconspicuous area to make sure the product is achieving the desired results and is not damaging the finish of the surface.



***Important -->** Colour may vary slightly from images shown. It is highly recommended to view physical samples of tile prior to purchase. Note that shade variations between tiles is characteristic and adds to the inherent beauty of the product.



TILES BY TINA
www.tilesbytina.com