

Victoria TERRAZZO Series

PORCELAIN

GLAZED PORCELAIN



TILES BY TINA

www.tilesbytina.com • 732.539.4655 • tserpico@tilesbytina.com

TERRAZZO SERIES - Coloured Body Porcelain (Rectified)



WHITE - Matte Finish

30 x 60 cm (12" x 24")

60 x 60 cm (24" x 24")



PEARL - Matte Finish

30 x 60 cm (12" x 24")

60 x 60 cm (24" x 24")



GREY - Matte Finish

30 x 60 cm (12" x 24")

60 x 60 cm (24" x 24")



TERRAZZO SERIES - Glazed Porcelain (Rectified)



BLACK - Matte Finish

30 x 60 cm (12" x 24")

60 x 60 cm (24" x 24")



COLOURED BODY PORCELAIN - Grey, Pearl & White

Tests Performed - Results Conform

Test	Standard Used	Min. Requirements	Results
Water Absorption	ISO 10545-3	< 0.5%	Conforms
Bending / Breaking Strength	ISO 10545-4	>1300N	Conforms
Modulus of Rupture	ISO 10545-4	≥ 35N/mm ²	Conforms
Dynamic C.O.F.	ANSI A137.1/2012	> 0.42	Conforms
Chemical Resistance	ISO 10545-13	min. UB	Conforms
Stain Resistance	ISO 10545-14	> Class 3	Conforms
Deep Abrasion Resistance	ISO 10545-6	≤ 175mm ³	Conforms

GLAZED PORCELAIN - Black only


Tests Performed - Results Conform

Test	Standard Used	Min. Requirements	Results
Water Absorption	ISO 10545-3	< 0.5%	Conforms
Bending / Breaking Strength	ISO 10545-4	>1300N	Conforms
Modulus of Rupture	ISO 10545-4	≥ 35N/mm ²	Conforms
Visible Surface Abrasion Resistance (Black only)	ISO 10545-7	≥ PEI 4	Conforms
Chemical Resistance	ISO 10545-13	min. UB	Conforms
Stain Resistance	ISO 10545-14	> Class 3	Conforms
Dynamic C.O.F.	ANSI A137.1/2012	> 0.42	Conforms

Technical data is supplied by the manufacturer and is subject to change at any time.



Colour Variation



Examples of Recommended Applications



Packing Details

TILE SIZE	PC/BOX	SF/BOX	LB/BOX	BOX/PAL
12" x 24" Matte	6	11.63	49.98	48
24" x 24" Matte	4	15.50	66.68	30

PRODUCT	WALL APPLICATION		FLOOR APPLICATION	
	Interior	Exterior	Interior	Exterior
TILE BOND COAT	<ul style="list-style-type: none"> • 66 FlexLite Pm Mortar • 55 LHT Mortar • 56SR LHT Mortar 	<ul style="list-style-type: none"> • 5400 Maxi-Flex • 51/44 Latex Mortar System 	<ul style="list-style-type: none"> • 61 LFT Mortar • 55 LHT Mortar • 56SR LHT Mortar 	<ul style="list-style-type: none"> • 5400 Maxi-Flex • 51/44 Latex Mortar System
GROUT	<ul style="list-style-type: none"> • 500 PM Unsanded • 600 PM Sanded • 1600UPG PM Grout 	<ul style="list-style-type: none"> • 1600UPG PM Grout 	<ul style="list-style-type: none"> • 600 PM Sanded • 1600UPG PM Grout 	<ul style="list-style-type: none"> • 1600UPG PM Grout
CAULKING	Ultra Performance (colour-matched to grout)	Ultra Performance (colour-matched to grout)	Ultra Performance (colour-matched to grout)	Ultra Performance (colour-matched to grout)

SURFACE PREPARATION (If Required)

- Floor levelling: 59 Flex Flo / 5900 Flex Flo Plus Self Levelling Underlayment
- Waterproofing: WP900 Waterproof Membrane
- Crack Isolation/Uncoupling: Flexilastic 1000 Crack Isolation Membrane / FlexMat Uncoupling Membrane

* For a complete listing of FLEX TILE products and accessories including Sound Control, In-Floor Heating, and further setting options, please visit www.flextile.net



“MORE” Surface Care Product Guide

Task	Product Recommendation	Dilution with Water	Frequency
Grout Sealing	MORE™ Grout, Ceramic & Porcelain Sealer	Ready to use	Commercial: 1-3 Years Residential: 5-8 Years
Daily Maintenance	MORE™ Stone and Tile Cleaner	1 : 128 Ratio	Daily
Deep Cleaning	MORE™ Alkaline Cleaner	1 : 4 Ratio	As Needed
Grout Haze- Cementitious	MORE™ Acidic Cleaner	1 : 4 Ratio	As Needed
Grout Haze - Epoxy / Urethane	MORE™ Coating Stripper*	Ready to use	As Needed

* Always test in an inconspicuous area to make sure the product is achieving the desired results and is not damaging the finish of the surface.





WHITE & PEARL



TILES BY TINA
www.tilesbytina.com



GREY & PEARL



TILES BY TINA
www.tilesbytina.com



PEARL



BLACK



TILES BY TINA
www.tilesbytina.com