

VICTORIA SERIES EVERLAST Series

GLAZED PORCELAIN



TILES BY TINA

www.tilesbytina.com • 732.539.4655 • tserpico@tilesbytina.com

EVERLAST SERIES - Glazed Porcelain (Rectified)



ALBATROZ

30 x 60 cm (12" x 24")
Matte Finish

60 x 60 cm (24" x 24")
Matte Finish
Polished Finish

80 x 80 cm (32" x 32")
Polished Finish

120 x 240 cm (48" x 96")
Polished Finish



SIRIUS

60 x 60 cm (24" x 24")
Polished Finish

80 x 80 cm (32" x 32")
Polished Finish

60 x 120 cm (24" x 48")
Polished Finish

120 x 240 cm (48" x 96")
Polished Finish



EVERLAST SERIES - Glazed Porcelain (Rectified)



BLUETTA

60 x 120 cm (24" x 48")
Polished Finish



TUNDRA

60 x 60 cm (24" x 24")
Polished Finish

60 x 120 cm (24" x 48")
Polished Finish



TILES BY TINA
www.tilesbytina.com

EVERLAST SERIES - Glazed Porcelain (Rectified)



CALACATTA

60 x 60 cm (24" x 24")
Polished Finish

80 x 80 cm (32" x 32")
Polished Finish



ALKAZAR

60 x 60 cm (24" x 24")
Polished Finish



TILES BY TINA
www.tilesbytina.com


EVERLAST SERIES

Tests Performed -- Results Conform

Test	Standard Used	Min. Requirements	Results
Water Absorption	ISO 10545-3	< 0.5%	Conforms
Bending / Breaking Strength	ISO 10545-4	>1300N	Conforms
Modulus of Rupture	ISO 10545-4	≥ 35N/mm ²	Conforms
Chemical Resistance	ISO 10545-13	min. UB	Conforms
Frost Resistance	ISO 10545-12	Required	Conforms
Stain Resistance	ISO 10545-14	> Class 3	Conforms

Technical data is supplied by the manufacturer and is subject to change at any time.

Colour Variation



Examples of Recommended Applications

Residential



Commercial



Indoor



Outdoor



Wall



Floor



Packing Details

TILE SIZE	PC/BOX	SF/BOX	LB/BOX	BOX/PAL
12" x 24" Matte	6	11.62	46.32	48
24" x 24" Matte & Polished	4	15.38	66.80	32
24" x 48" Polished	2	15.38	73.64	32
32" x 32" Polished	2	14.28	65.48	35
48" x 96" Polished	1	33.33	130.07	30



TILES BY TINA
www.tilesbytina.com

Recommended FLEX TILE Installation Systems

For other suitable options & complete installation details, visit www.flextile.net

PRODUCT	WALL APPLICATION		FLOOR APPLICATION	
	Interior	Exterior <i>(* See note below.)</i>	Interior	Exterior <i>(* See note below.)</i>
TILE BOND COAT	<ul style="list-style-type: none"> • 66 FlexLite • 56SR LHT Mortar 	<ul style="list-style-type: none"> • 51/44 Latex Mortar System • 5400 Maxi-Flex 	<ul style="list-style-type: none"> • 56SR LHT Mortar • 61 LFT Mortar • 5400 Maxi-Flex 	<ul style="list-style-type: none"> • 51/44 Latex Mortar System • 5400 Maxi-Flex
GROUT	<ul style="list-style-type: none"> • 500/600 PM Grout • 1600UPG PM Grout 	<ul style="list-style-type: none"> • 600 PM Sanded Grout • 1600UPG PM Grout 	<ul style="list-style-type: none"> • 600 PM Sanded • 1600UPG PM Grout • FlexEpoxy 100 Epoxy Grout 	<ul style="list-style-type: none"> • 600 PM Sanded • 1600UPG PM Grout
CAULKING	Ultra Performance (colour-matched to grout)	Ultra Performance (colour-matched to grout)	Ultra Performance (colour-matched to grout)	Ultra Performance (colour-matched to grout)

SURFACE PREPARATION (If Required)

- Floor levelling: 59 Flex Flo / 5900 Flex Flo Plus Self Levelling Underlayment
- Waterproofing: WP900 Waterproof Membrane
- Crack Isolation/Decoupling: Flexilastic 1000 Crack Isolation Membrane / FlexMat Uncoupling Membrane

For a complete listing of FLEX TILE products and accessories including Sound Control, In-Floor Heating, and further setting options, please visit www.flextile.net

***NOTE: All polished sizes including 48" x 96" size can be installed outdoors but for vertical surface installation only.**



"MORE" Surface Care Product Guide

Task	Product Recommendation	Dilution with Water	Frequency
Grout Sealing	MORE™ Grout, Ceramic & Porcelain Sealer	Ready to use	Commercial: 1-3 Years Residential: 5-8 Years
Daily Maintenance	MORE™ Stone and Tile Cleaner	1 : 128 Ratio	Daily
Deep Cleaning	MORE™ Alkaline Cleaner	1 : 4 Ratio	As Needed
Grout Haze- Cementitious	MORE™ Acidic Cleaner	1 : 4 Ratio	As Needed
Grout Haze - Epoxy / Urethane	MORE™ Coating Stripper*	Ready to use	As Needed

*Always test in an inconspicuous area to make sure the product is achieving the desired results and is not damaging the finish of the surface.





CALACATTA




ALBATROS



TILES BY TINA
www.tilesbytina.com



SIRIUS




ALKAZAR



TILES BY TINA
www.tilesbytina.com



TUNDRA



BLUETTA



TILES BY TINA
www.tilesbytina.com