

Victoria Series

MOON  
Series

GLAZED PORCELAIN



TILES BY TINA

[www.tilesbytina.com](http://www.tilesbytina.com) • 732.539.4655 • [tserpico@tilesbytina.com](mailto:tserpico@tilesbytina.com)

## MOON SERIES - Glazed Porcelain (Non-rectified)

### BIANCO MINERALE



6 x 24 cm (2.5" x 9.5") Matte  
(Nominal Thickness: 8.5 mm)

### ARGILLA NATURALE



6 x 24 cm (2.5" x 9.5") Matte  
(Nominal Thickness: 8.5 mm)

### VERDE MUSCHIO



6 x 24 cm (2.5" x 9.5") Matte  
(Nominal Thickness: 8.5 mm)

### BRUNO BISTRO



6 x 24 cm (2.5" x 9.5") Matte  
(Nominal Thickness: 8.5 mm)

### ROSSO MATTONE



6 x 24 cm (2.5" x 9.5") Matte  
(Nominal Thickness: 8.5 mm)

### NERO FUMO



6 x 24 cm (2.5" x 9.5") Matte  
(Nominal Thickness: 8.5 mm)



TILES BY TINA  
[www.tilesbytina.com](http://www.tilesbytina.com)

## MOON SERIES - Glazed Porcelain (Non-rectified)

### BIANCO MINERALE FORMELLA



6 x 24 cm (2.5" x 9.5") Matte  
(Nominal Thickness: 8.5 mm)

### ARGILLA NATURALE FORMELLA



6 x 24 cm (2.5" x 9.5")  
(Nominal Thickness: 8.5 mm)

### VERDE MUSCHIO FORMELLA



6 x 24 cm (2.5" x 9.5")  
(Nominal Thickness: 8.5 mm)

### BRUNO BISTRO FORMELLA



6 x 24 cm (2.5" x 9.5")  
(Nominal Thickness: 8.5 mm)

### ROSSO MATTONE FORMELLA



6 x 24 cm (2.5" x 9.5")  
(Nominal Thickness: 8.5 mm)

### NERO FUMO FORMELLA



6 x 24 cm (2.5" x 9.5")  
(Nominal Thickness: 8.5 mm)




## MOON SERIES

Tests Performed -- Results Conform

Test	Standard Used	Min. Requirements	Results
Water Absorption	ISO 10545-3	< 0.5%	Conforms
Dynamic Coefficient of Friction	ANSI A137.1/2012	0.42	Conforms
Bending / Breaking Strength	ISO 10545-4	>1300N	Conforms
Chemical Resistance	ISO 10545-13	min. UB	Conforms
Frost Resistance	ISO 10545-12	Required	Conforms
Stain Resistance	ISO 10545-14	> Class 3	Conforms
Visible Surface Abrasion Resistance	ISO 10545-7	PEI-4	Bianco Minerali: PEI 5 Argilla Naturale: PEI 4

## Colour Variation



## Examples of Recommended Applications

Residential Commercial



Indoor



Outdoor



Wall



Floor



ARGILLA NATURALE: Medium commercial floors  
BIANCO MINERALE: Heavy commercial floors  
VERDE MUSCHIO & BRUNO BISTRO:  
Light commercial floors

## Packing Details

TILE SIZE	PC/BOX	SF/BOX	LB/BOX	BOX/PAL
2.5" x 9.5"	48	7.44	27.36	75



TILES BY TINA  
www.tilesbytina.com

PRODUCT	WALL APPLICATION		FLOOR APPLICATION	
	Interior	Exterior	Interior	Exterior
<b>TILE BOND COAT</b>	<ul style="list-style-type: none"> <li>• 66 FlexLite</li> <li>• 52 Versatile</li> </ul>	<ul style="list-style-type: none"> <li>• 5400 Maxi-Flex</li> <li>• 51/44 Latex Mortar System</li> </ul>	<ul style="list-style-type: none"> <li>• 50 PM Mortar</li> <li>• 52 Versatile</li> <li>• 5400 Maxi-Flex</li> </ul>	<ul style="list-style-type: none"> <li>• 5400 Maxi-Flex</li> <li>• 51/44 Latex Mortar System</li> </ul>
<b>GROUT</b>	<ul style="list-style-type: none"> <li>• 600 PM Sanded</li> <li>• 1600UPG PM Grout</li> </ul>	<ul style="list-style-type: none"> <li>• 600 PM Sanded</li> <li>• 1600UPG PM Grout</li> </ul>	<ul style="list-style-type: none"> <li>• 600 PM Sanded</li> <li>• 1600UPG PM Grout</li> </ul>	<ul style="list-style-type: none"> <li>• 600 PM Sanded</li> <li>• 1600UPG PM Grout</li> </ul>
<b>CAULKING</b>	Ultra Performance (colour-matched to grout)	Ultra Performance (colour-matched to grout)	Ultra Performance (colour-matched to grout)	Ultra Performance (colour-matched to grout)

**SURFACE PREPARATION (If Required)**

- Floor levelling: 59 Flex Flo / 5900 Flex Flo Plus Self Levelling Underlayment
- Waterproofing: WP900 Waterproof Membrane
- Crack Isolation/Uncoupling: Flexilastic 1000 Crack Isolation Membrane / FlexMat Uncoupling Membrane

\* For a complete listing of FLEXILE products and accessories including Sound Control, In-Floor Heating, and further setting options, please visit [www.flextile.net](http://www.flextile.net)



**“MORE” Surface Care Product Guide**

Task	Product Recommendation	Dilution with Water	Frequency
Grout Sealing	MORE™ Grout, Ceramic & Porcelain Sealer	Ready to use	Commercial: 1-3 Years Residential: 5-8 Years
Daily Maintenance	MORE™ Stone and Tile Cleaner	1 : 128 Ratio	Daily
Deep Cleaning	MORE™ Alkaline Cleaner	1 : 4 Ratio	As Needed
Grout Haze- Cementitious	MORE™ Acidic Cleaner	1 : 4 Ratio	As Needed
Grout Haze - Epoxy / Urethane	MORE™ Coating Stripper*	Ready to use	As Needed

\* Always test in an inconspicuous area to make sure the product is achieving the desired results and is not damaging the finish of the surface.





BIANCO MINERALE FORMELLA, BRUNO BISTRO & BRUNO BISTRO FORMELLA



ARGILLA NATURALE FORMELLA, ARGILLA NATURALE & BIANCO MINERALE



TILES BY TINA  
[www.tilesbytina.com](http://www.tilesbytina.com)



BIANCO MINERALE



NERO FUMO, BRUNO BISTRO & BRUNO BISTRO FORMELLA



TILES BY TINA  
[www.tilesbytina.com](http://www.tilesbytina.com)



BIANCO MINERALE, VERDE MUSCHIO & VERDE MUSCHIO FORMELLA



VERDE MUSCHIO, ROSSO MATTONE  
& VERDE MUSCHIO FORMELLA



TILES BY TINA  
[www.tilesbytina.com](http://www.tilesbytina.com)